



Lopadine[®] Max Sterile Eye Drops

Olopatadine 0.7%

Presentation

Lopadine[®] Max Sterile Eye Drops: Each ml eye drop contains Olopatadine Hydrochloride USP equivalent to Olopatadine 7 mg.

Description

Olopatadine is an inhibitor of the release of histamine from the mast cell and a relatively selective histamine H₁ -antagonist that inhibits histamine induced inflammatory effects on human conjunctival epithelial cells.

Indications and Uses

This drug is indicated for the treatment of the sign and symptoms of allergic conjunctivitis (itchy, watery, red, irritated eyes).

Dosage and Administration

Adults and children (age 2 years and above)

One drop in the conjunctival sac of the affected eye(s) once daily.

Side-effects

Following adverse effects can be seen in some patients:

Headache, asthenia, blurred vision, burning or stinging, cold syndrome, dry eye, foreign body sensation, hyperaemia, hypersensitivity, keratitis, lid oedema, nausea, pharyngitis, pruritus, rhinitis, sinusitis.

Precautions

To prevent contaminating the dropper tip and solution, care should be taken not to touch the eyelids or surrounding areas with the dropper tip of the bottle. Patients should be advised not to wear a contact lens if their eye is red.

Contraindications

It is contraindicated in case of hypersensitivity to Olopatadine or to any component of the preparation.

Use in pregnancy & lactation

Pregnancy: Pregnancy category C. For this drug, no clinical data on exposed pregnancies is available.

Lactation: It is not known if this medicine passes into breast milk, therefore it is not recommended for use during breastfeeding.

Drug interactions

Interactions with other medications have not been investigated in vivo.

Overdose

No information is available.

Storage

- Keep out of the reach of children.
- Do not store above 30 °C, keep away from heat and direct light.
- Do not use more than 4 weeks after opening.

Commercial Pack

Lopadine[®] Max Sterile Eye Drops: Plastic dropper bottle containing 5 ml sterile eye drops.

Manufactured by



Incepta Pharmaceuticals Ltd

Savar, Dhaka, Bangladesh

® Registered Trademark

LPM

V.N. 02